

## Antimicrobial resistance targets Sweden



17 November 2023

2010	

Target achieved Progress

Defir	Reduce by 3% the total consumption of antibiotics in humans Defined daily doses (DDDs) per 1 000 inhabitants per day	2019 baseline	11.8	-
		2022	11.2	-5.4%
		2030 TARGET	11.4	-3%
	At least 65% of the total	2019 baseline	71%	-
	consumption of antibiotics in humans belongs to the `Access' group of antibiotics	2022	69%	-2% *
	As defined in the AWaRe classification of the WHO rence from 2019.	2030 TARGET	65%	-
_ 👝 of	Reduce by 3% the total incidence	2019 baseline	1.34	-
	of bloodstream infections with meticillin-resistant <i>Staphylococcus aureus</i> (MRSA)	2022	1.58	+17.8%
	Number per 100 000 population	2030 TARGET	1.30	-3%
0	Reduce by 10% the total incidence of bloodstream infections with	2019 baseline	9.2	-
	third-generation cephalosporin-resistant <i>Escherichia coli</i>	2022	8.5	-7.7%
	Number per 100 000 population	2030 TARGET	8.3	-10%
	Maintain at baseline the total	2019 baseline	0.025	-
	incidence of bloodstream infections with carbapenem-resistant <i>Klebsiella pneumoniae</i>	2022	0.043	+71.6%
	Number per 100 000 population	2030 TARGET	0.025	-