

**Antibiotics:
handle with care!**



Insert logo of
national
institution

Insert logo of
national
institution



Antibiotic resistance: You are responsible to ensure that antibiotics remain effective

This checklist is supported by scientific evidence. Visit <http://antibiotic.ecdc.europa.eu> or scan the QR code.



A checklist of reminders:



Insert logo of national
institution

Insert logo of national
institution

- Is there a high probability of a bacterial infection, rather than colonization or a viral infection?
- Does the patient have an infection that will respond to antibiotics?
- Have you checked the patient's recent antibiotic use, drug allergies, hospitalisation or institutionalisation, use of immunosuppressive therapy and microbiology results for the previous 3 months?
- Is the patient on the right antibiotics, dosage, and route of administration?
- Can an antibiotic with a narrower spectrum be used to treat the infection?
- Have you prescribed the shortest possible duration of treatment?
- Have the appropriate cultures been taken?
- Do the culture results necessitate starting antibiotic therapy or modifying ongoing the current antibiotic therapy?
- Have you documented the indication of antibiotic treatment, drug choice, dosage, route of administration and duration of treatment in the patient chart?
- Does the choice of antibiotic therapy comply with your hospital's guidelines?
- Does the choice of antibiotic therapy comply with your hospital's antibiotic resistance patterns?

If you have doubts, consult [antibiotic stewardship programme, microbiologist, infectious disease specialist] in our hospital. Contact [email address] or call [phone number]. See more information at [hospital website/EAAD website].