






Poland

	Target achieved	Progress	Regress
 <p>Reduce by 27% the total consumption of antibiotics in humans</p> <p>Defined daily doses (DDDs) per 1 000 inhabitants per day</p>	2019 baseline	23.6	-
	2023	23.2	-1.8%
	2030 TARGET	17.2	-27%
 <p>At least 65% of the total consumption of antibiotics in humans belongs to the 'Access' group of antibiotics</p> <p>As defined in the AWaRe classification of the WHO</p> <p><small>*Percentage point difference from 2019.</small></p>	2019 baseline	60.4%	-
	2023	60.4%	+0.1%*
	2030 TARGET	65%	+4.6%*
 <p>Reduce by 10% the total incidence of bloodstream infections with meticillin-resistant <i>Staphylococcus aureus</i> (MRSA)</p> <p>Number per 100 000 population</p>	2019 baseline	4.3	-
	2023	3.5	-17.4%
	2030 TARGET	3.8	-10%
 <p>Reduce by 10% the total incidence of bloodstream infections with third-generation cephalosporin-resistant <i>Escherichia coli</i></p> <p>Number per 100 000 population</p>	2019 baseline	7.4	-
	2023	7.8	+4.4%
	2030 TARGET	6.7	-10%
 <p>Reduce by 4% the total incidence of bloodstream infections with carbapenem-resistant <i>Klebsiella pneumoniae</i></p> <p>Number per 100 000 population</p>	2019 baseline	1.4	-
	2023	3.7	+167%
	2030 TARGET	1.3	-4%

i- Council Recommendation targets on stepping up EU actions to combat antimicrobial resistance in a One Health approach (2023/C 220/01)

ii- Full data available in [ECDC Annual Epidemiological Reports](#) on antimicrobial resistance and antimicrobial consumption