



Antimicrobial resistance targets Croatia

Target achieved Progress Regress



Reduce by 9% the total consumption of antibiotics in humans

Defined daily doses (DDDs) per 1 000 inhabitants per day

2019 baseline

18.8

-

2022

20.2

+7.3%

2030 TARGET

17.1

-9%



At least 65% of the total consumption of antibiotics in humans belongs to the 'Access' group of antibiotics

As defined in the AWaRe classification of the WHO

2019 baseline

62.7%

-

2022

60.1%

-2.6%
*

2030 TARGET

65%

+2.3%
*

*Percentage point difference from 2019.



Reduce by 6% the total incidence of bloodstream infections with meticillin-resistant *Staphylococcus aureus* (MRSA)

Number per 100 000 population

2019 baseline

2.7

-

2022


5.4

+99.4%

2030 TARGET

2.6

-6%



Maintain at baseline level the total incidence of bloodstream infections with third-generation cephalosporin-resistant *Escherichia coli*

Number per 100 000 population

2019 baseline

5.3

-

2022

4.9

-7.1%

2030 TARGET

5.3

-



Reduce by 4% the total incidence of bloodstream infections with carbapenem-resistant *Klebsiella pneumoniae*

Number per 100 000 population

2019 baseline

1.2

-

2022

2.5

+111%

2030 TARGET

1.1

-4%