



# Antimicrobial resistance targets Finland

Target achieved Progress Regress



**Reduce by 9% the total consumption of antibiotics in humans**

Defined daily doses (DDDs) per 1 000 inhabitants per day

2019 baseline	14.7	-
2022	12.5	-14.9%
2030 TARGET	13.3	-9%



**At least 65% of the total consumption of antibiotics in humans belongs to the 'Access' group of antibiotics**

As defined in the AWaRe classification of the WHO

2019 baseline	73.2%	-
2022	72.3%	-0.9% *
2030 TARGET	65%	-


\*Percentage point difference from 2019.



**Reduce by 3% the total incidence of bloodstream infections with meticillin-resistant *Staphylococcus aureus* (MRSA)**

Number per 100 000 population

2019 baseline	1.06	-
2022	1.14	+7.8%
2030 TARGET	1.03	-3%



**Reduce by 10% the total incidence of bloodstream infections with third-generation cephalosporin-resistant *Escherichia coli***

Number per 100 000 population

2019 baseline	8.0	-
2022	5.8	-28.0%
2030 TARGET	7.2	-10%



**Reduce by 2% the total incidence of bloodstream infections with carbapenem-resistant *Klebsiella pneumoniae***

Number per 100 000 population

2019 baseline	0.057	-
2022	0.00	-100%
2030 TARGET	0.056	-2%