



Antimicrobial resistance targets Slovenia

17 November 2023

Target achieved Progress Regress



Reduce by 9% the total
consumption of antibiotics
in humans

Defined daily doses (DDDs) per 1 000 inhabitants per day

2019
baseline

13.0

-

2022

12.4

-4.3%

2030
TARGET

11.8

-9%

2019
baseline

62.1%

-

2022

61.7%

-0.4%
*

2030
TARGET

65%

+2.9%
*

At least 65% of the total
consumption of antibiotics in
humans belongs to the
'Access' group of antibiotics

As defined in the AWaRe classification of the WHO



*Percentage point difference from 2019.



Reduce by 6% the total incidence
of bloodstream infections with
meticillin-resistant *Staphylococcus
aureus* (MRSA)

Number per 100 000 population

2019
baseline

2.4

-

2022

2.7

+12.9%

2030
TARGET

2.2

-6%

2019
baseline

7.7

-

2022

7.4

-3.1%

2030
TARGET

6.9

-10%

Reduce by 10% the total incidence
of bloodstream infections with
third-generation cephalosporin-resistant
Escherichia coli

Number per 100 000 population

Reduce by 2% the total incidence
of bloodstream infections with
carbapenem-resistant
Klebsiella pneumoniae

Number per 100 000 population

2019
baseline

0.049

-

2022

0.336

+591%

2030
TARGET

0.048

-2%

